

NATIONAL AUTOMOTIVE TEST TRACKS

NOTICE INVITING TENDER

FOR

ALUMINIUM PARTITION & FALSE CEILING WORKS IN FAT 3 AT VDY LAB BUILDING AND FALSE CEILING WORK IN GENERAL STORAGE BUILDING WORKSHOP OFFICE AREA

AT

NATRAX PITHAMPUR, DIST. DHAR (Madhya Pradesh)

Tender No. - NATRAX/C&I/CWB/Misc/20/90

National Automotive Test Tracks (NATRAX)

NH-52, Old Agra- Mumbai Highway, Near to Pithampur Flyover, Post Khandwa (Near Pithampur)

Dhar District, Madhya Pradesh-454774 Phone: +919893892310, Fax - 07292-256101 Email: tulika.banerjee@natrip.in;



1. General Instructions:

NATRIP Implementation Society (NATIS), an autonomous body constituted by Ministry of Heavy Industries & Public Enterprises, Government of India for execution of National Automotive Testing and R&D Infrastructure Project (NATRIP), the largest and one of the most significant initiatives in Automotive sector so far which represents a unique joining of hands between the Government of India, a number of State Governments and Indian Automotive Industry to create a state-of-the-art Testing, Validation and R&D infrastructure in the Country.

The Project aims at creating core global competencies in Automotive sector in India and facilitate seamless integration of Indian Automotive industry with the world as also to position the Country prominently on the global automotive map.

The National Automotive Test Tracks (NATRAX) is an Automotive Testing & Certification Centre under NATRIP. NATRAX is being set up on approx. 3000 acres for comprehensive testing and evaluation of all types of automobiles, near Pithampur, Dist. DHAR, (Madhya Pradesh, India). NATRAX invites sealed tenders from the Bidders in the prescribed proforma for performing, executing and implementing the Works on the terms and conditions contained in this Tender Document and in the Contract. Brief description of Works and the timelines for tenders are summarised in the table below:

The details of the Tender are mentioned below: -

						_
Description of Work	Time for completion	Date of start of floating of tender	Last date for submission of Bid	Date & Time of Bid opening	Estimated Cost	
Aluminium partition & False ceiling works in FAT 3 at VDY lab building and False ceiling work in General Storage building workshop office area at NATRAX Pithampur	1 month including rainy season from the date of issue of NTP	1 st June 2020	22 nd June 2020 3:00 pm	22 nd June 2020, 3:30pm	Rs 7.42 Lakhs	

Those who meet the minimum eligibility criteria as mentioned in the Instruction to bidder (ITB) (and also in NIT) may be eligible to become successful in the bidding process. The bidder in the form of JV/Consortium is not permitted.

2. Bid Submission details:

Sealed bids are to be submitted at the following address not later than the aforesaid time & date or as next convenient date & time on pre-intimation.

NATRAX HUB office, NH-52, Old Agra- Mumbai Highway, Near to Pithampur Flyover, Post Khandwa (Near Pithampur) Dhar District, Madhya Pradesh-454774

No Bids will be accepted after the aforesaid date and time. However, on exceptional cases, NATRAX reserves the right to extend the time/last date of submission of Bid to a next convenient date/time before opening of the Bids.

Bids sent telegraphically or through other means of transmission (telefax, email etc.) which cannot be delivered in a sealed envelope shall be treated as defective, invalid and shall stand rejected.

NATRAX shall not be responsible for any postal/courier delays for non-receipt /non-delivery of bids or due to wrong addressee.

3. Disclaimer:

NATRAX reserves all rights to accept/ reject/modify/split any or all proposals without assigning any reasons. Bidders shall not have any cause of action or claim against NATRAX for any of its decisions.

Procurement Inchar



ANNEXURE I INSTRUCTION TO BIDDERS

- 1. Bidders are required to submit their Bids in two parts in a sealed envelope, superscribed "Bid for Tender No. NATRAX/C&I/CWB/Misc/20/90" on the top of envelop, containing two separate sealed envelopes, as given below. The sealed bids shall be submitted at the NATRAX, Pithampur before the closure of bid submission date/time.
 - a) The first sealed envelope marked as "Technical Bid for Tender No. NATRAX/C&I/CWB/Misc/20/90" shall consist of all the technical details eligibility, commercial terms and conditions and documents sought in the NIQ/Tender along with the signed copy the NIQ/Tender document. Further, the Technical Bid must include a copy of the unfilled Financial Bid of the Bidder without any information on the prices
 - b) The second sealed envelope marked as "Financial Bid for Tender No. NATRAX/C&I/CWB/Misc/20/90" should consist of the Financial Bid duly filled and signed by an authorised person from the Bidder's.

Both the envelopes are to be submitted together in a sealed outer envelope.

The technical bids are opened at the first instance and evaluated. At the second stage, financial bids of only these technically acceptable offers are to be opened with prior intimation on the date and time for further scrutiny, evaluation, ranking & placement of order.

- 2. The bidders are expected to meet the minimum eligibility criteria as given in the "Notice Inviting Tender". NATRAX will reject the bids that do not meet the minimum eligibility criteria as laid down, based on their submission along with the Tender documents even after the bid opening process is concluded.
- 3. The Contract shall be governed by NATRAX's <u>Special Conditions for Contract (SCC)</u> and all other relevant specification applicable.
- 4. All Bidders are hereby explicitly informed that "CONDITIONAL OFFERS" or "OFFERS WITH DEVIATIONS" from the conditions of Contract, the quotation not meeting the minimum eligibility criteria, Technical specifications, or any other requirements as stipulated in the Tender documents are liable to be "REJECTED".
- 5. Bidders should give details of their technical soundness and provide list of customers/client of previous works of similar nature in Government Departments/Undertakings/Public/Private sectors/Autonomous etc.,
- 6. Minimum Eligibility Criteria: -

Documents to be submitted along with the bid:

The bidders whose bid meet the following criteria would only be considered as responsive and evaluated by NATRAX.

i. MEC 1: -

Legal Valid Entity:

The Bidder shall necessary be a legal valid entity either in the form of Proprietary/Private Partnership/Private/Govt./ Public/Autonomous. In form of JV/Consortium not permitted.

List of accepatable documents: -

- a) License certificate/Gumasta of the firm
- b) Details of Owner/partners of the firm
- c) Copies of Income Tax Registration/PAN Card, GST registration, PF registration and any other statutory requirements, etc.,

ii. MEC – 2: Financial Capabilities

The minimum Average Annual Financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as Rs 10 Lakh. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid.

In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

iii. MEC-3: Experience

The Bidder should have successfully completed or substantially completed similar works during last three (3) years ending last day of month previous to the one in which applications are invited should be either of the following: -

- a. Three similar completed works costing not less than the amount equal to 40(forty) percent of the estimated cost; or
- b. Two similar completed works costing not less than the amount equal to 50 (fifty) percent of the estimated cost; or
- c. One similar completed work costing not less than the amount equal to 80 (eighty) percent of the estimated cost;

*Similar works mean Completed Civil Work for the Industrial/commercial/building/s.

List of accepted documents:

- a) Completion certificate/supply of PO, value of works, etc.,
- b) Incase completion certificate/PO does not clearly mention the value of work executed, then the bidder shall submit the fresh summary & proof as TDS, CA certificate, Excise, GST etc.,

7. Tender Fee & EMD Exemption: -

- a) This tender is free of cost.
- b) If registered under "Micro & Small Enterprises" (MSEs), supporting documents need to be submitted to avail exemption from Earnest Money, subject to verification of certificate.



- c) For MSME, price benefit shall be given as per the guideline, at the discretion of NATRAX.
- 8. The Bidders are expected to carefully examine all the contents of the Tender documents including instructions, conditions, terms, specifications, drawings (if any), shall inspect the Site with prior notice to NATRAX and at Bidders own cost, acquaint himself with all local conditions, means of access to the work, nature of the work and all matters pertaining thereto & take them fully into account before submitting their offer. Failure to comply with the requirements as detailed in these documents shall be at the Bidder's own risk. Bids which are not responsive to the requirements of the Tender will be rejected.
- 9. While all efforts have been made to avoid errors in drafting of the Tender documents, the Bidder is advised to check the same carefully. No claim on account of any errors detected in the Tender documents shall be entertained.
- 10. The Bidder shall carry out all the work strictly in accordance with Specification, Standard Practices and instructions of NATRAX or NATRAX's representative and deviation on any account will not be permitted. If in the opinion of NATRAX, changes have to be made in the design and it desires the Bidder to carry out the same. The decision of NATRAX in such cases shall be final and shall not be open to arbitration.
- 11. The successful Bidder is bound to carry out associated work necessary for the completion of the job even though such items are not included in the quantities and drawings to achieve end results and deemed to be priced in the other items. No claim on this account shall be entertained.
- 12. The successful Bidder should make his own arrangement to obtain all materials required for the work.
- 13. Addendum / Corrigendum (if required) to the Tender may be issued prior to the date of opening of the Bid to clarify or to intimate any changes/modifications etc. All such addendum / corrigendum shall be treated as an integral part of the Tender.
- 14. Any effort by a Bidder to influence NATRAX or any of its functionaries in the process of examination, clarification, evaluation and comparison of tenders and in decisions concerning award of contract, may result in rejection of the Bid.
- 15. In order to afford prospective bidders, reasonable time for preparing their Quotes after taking into account such amendments, NATRAX may, at its discretion, extend the deadline for submission of bids.
- 16. Information relating to the examination, clarification, evaluation and comparison of bids and recommendations concerning the award of Contract shall not be disclosed to Bidders or other persons not officially concerned with such process.
- 17. NATRAX reserves the right to accept / reject or modify any bids, and to annul the Tender process and reject all quotations, at any time prior to award of Contract, or to divide the Contract between/amongst Bidders without thereby incurring any liability to the affected Bidder or Bidders or any obligations to inform the affected Bidder or Bidders of the grounds

for NATRAX's action. Any bidder not following ITB stands rejected.

18. Bid Opening Details:

- a) The Bids will be opened at NATRAX HUB office at the date and time mentioned in Tender / corrigendum in the presence of Bidders or their duly authorized representatives, who choose to remain present at the time of opening the Bids.
- b) A letter of authorization shall be submitted to NATRAX, by the Bidder's representative before the opening of Bids.
- c) Absence of bidders or their duly authorized representatives shall not impair the legality of the bid opening process.
- d) All bidders or their duly authorized representatives shall be required to sign the main bid envelopes by way of confirmation of sealed bid status at the time of opening of bids. After identification signing, the Procurement Committee representative shall open the bid envelope.
- e) This will not give any right to the bidder to claim that he is successful in the bidding process.
- f) Bid envelopes shall be required to sign by all the authorized representatives and the same will be kept under the custody of NATRAX.
- g) Refusal to sign on any of the bid envelopes by any of the bidder or his duly authorized representative may disqualify him from the process at the discretion of members of the Tender opening Committee present at the time of opening of the Bids.
- 19. The rate should be quoted both in words and figures on our prescribed format duly signed & stamped by the bidder, incase any discrepancy, word will be preferred. All statutory deductions shall be applicable while releasing payments. All corrections and overwriting should be initialed by the Bidder.

20. TECHNICAL BID EVALUATION

- a) NATRAX shall follow the Segregated bid evaluation system (No bearing of technical score in the financial bid evaluation and L-1 in the financial bid shall be deemed as successful bidder) to determine the successful bidder. (Bidders may also refer the SCC)
- b) The bidder should qualify the all three MEC.
- c) The Bidder is requested to specify what particular value he is offering for each particular requirement, rather than just stating he is fulfilling the Minimum Requirement. Unless specifically required ("Specify yes/no"), cells filled with terms like "compliant" or "yes" will not be evaluated. Even when a "Specify yes/no" answer is required a small sentence explaining the requirement is required.
- d) During the technical bid evaluation process, NATIS may ask clarifications to the bidder through E-mail/Fax, for confirming and consolidating the partial offers.

Page 7 of 19

- e) All such clarifications are required to be answered by the bidder by E-mail/Fax, within the time specified by NATRAX.
- f) Only the technically qualified bidders shall be intimated for financial bid opening in writing.

21. FINANCIAL BID EVALUATION

- a) For the evaluation of the Financial Bids, the eventual Bid prices shall be ascertained after considering all the terms and conditions associated with the Bid price specified in the Financial Bid document and after detailed scrutiny of the financial bid.
- b) No Bidder shall be allowed to propose/carry out any revision / correction / modification in his Price Bid offer.
- c) If there is a discrepancy between the sub total/s and the total price that is obtained by multiplying the unit price and quantity/adding the sub total/s, the sub total/s shall prevail and the total price shall be corrected, unless in the opinion of the Employer that there is an obvious misplacement of the decimal point in the sub total price, in which case the total price as quoted shall govern and the sub total/s shall be corrected;
- d) If there is an error in a total, corresponding to the addition or subtraction of sub totals, the subtotals shall prevail and the total shall be corrected; and
- e) The bidder needs to fill the rates against each item in word as well as in figures as mentioned in BOQ (Financial bid). In case of any discrepancy, the rate provided in word shall prevail and correct the amount against the item. All the prices ahould be inclusive of all taxes and GST.
- f) The amount stated in the Letter to Bid will be adjusted by the Employer in accordance with the above procedure for the correction of errors and, shall be considered as binding upon the bidder. If the bidder does not accept the corrected amount of bid, the bid will be rejected.
- g) Contract negotiations, if any, will be held before the issuance of Letter of Acceptance/ Notification of Award. The negotiation shall conclude with a revised offer letter from the successful bidder, affecting the discounts if any and accepted by NATRAX.

22. Award of Work:

- a) Prior to the expiry of the period of Bid validity prescribed, NATIS will issue to the Successful Bidder, the Work Order. The Successful Bidder shall return one copy of the Work Order to NATRAX duly acknowledged and signed by the authorized signatory, within two [2] days of receipt of the same by him.
- b) NATRAX shall notify all the unsuccessful Bidders and discharge/ return their Earnest Money Deposit. No correspondence will be entertained by NATRAX from the unsuccessful Bidders.

23. Validity of bids:

The rate quoted should be valid for a minimum period of 60 days from the last date of Submission of Quotation. No claim for escalation of rate will be considered at any point of time.

- 24. Prospective bidders requiring any clarification of the Tender may write to tulika.banerjee@natrip.in.
- 25. The Bids / related correspondences shall be made in English language only.

26. Special Conditions:

26.	Special Conditions:				
a.	Scope of work	Aluminium partition & False ceiling works in FAT 3 at VDY lab building and False ceiling work in General Storage building workshop office area at NATRAX Pithampur			
b.	Completion Schedule	1 months including rainy season from the date of issue of NTP			
c.	Liquidated Damages	0.1% of the Contract Price per day to a maximum of 10% of the Contract Price.			
d.	Payment & Mode	 In In dian National Rupees (INR) & through RTGS against submission of invoice on monthly basis with all supporting documents for actual works executed. Payment shall be processed only after due certification by Engineer-in-Charge. No Advance payments. 			
e.	Retention	5% (Five) of the Contract Price.			
f.	Release of Retention Amount	On completion of warranty period.			
g.	Warranty Period	12 (twelve) months from the date of work completion certificate.			
h.	Project Facility / Place of Installation/delivery	NATRAX Site			
j.	Tender Document Fee	Free of Cost			
k.	Bid Security/EMD	Rs 18,500/- be submitted as Bid Security/EMD along we the Technical bid in the form of A/C Payee Dema Draft/Fixed Deposit Receipt/Banker's Cheque or Bar Guarantee from any of the Commercial Banks favour "National Automotive Test Tracks" & payable Pithampur. Bid Security/EMD should remain valid for period of forty-five days beyond the final bid validity peri Bids received without EMD will be summarily rejected			
L.	Performance Security	5% (Five) of the Contract value should be submitted as Performance Security by the Successful Bidder on award of Contract. Performance Security may be furnished in the form of an A/C Payee Demand Draft, Fixed Deposit Receipt or Bank Guarantee from a Commercial Bank favouring "National Automotive Test Tracks" & payable at Pithampur			

Tender No. NATRAX/C&I/CWB/Misc/20/90					
and should remain valid for a period of Sixty days beyond the date of completion of all Contractual Obligations. Bid Security/EMD will be returned to the successful bidder on receipt of Performance Security.					
27. The bidder should give the following, duly signed and sealed, failing to which the bids will be summarily rejected:					
a. DECLARATION (To be executed on Bidder's letter head)					
We having aquainted with the content & requirement of this Tender, do hereby accept to turnish the same in compliance with all terms & conditions. I/we have not tampered/modified the tender in any manner and breach of any such, will result in rejection of Tender and / or prosecuted.					
/ We hereby declare that the firm/company has not been blacklisted or debarred in the past by any other Government organization from taking part in Government tenders.					
In case the above information found false or in case of breach of any of terms and conditions at any stage of Tender or Contract, I/We are fully aware that the Tender/ Contract will be rejected / cancelled by NATRAX and Payments (for completed/partially completed), Retention, Bid Security (EMD), Performance Security, etc., shall be forfeited.					
Signature of the Bidder:					
Name and Designation:					
Address:					
Contact details:					


The completed tender documents. b.

Place: Date:

Seal of the Bidder's Firm




FALSE CEILING IN FAT 3 AREA







FALSE CEILING AT GENERAL STORAGE OFFICE ARE BUILDING







Form for the submission of Financial Bid

Financial Proposal Submission Form (To be Executed on Letterhead of the Bidder)

FINANCIAL PROPOSAL SUBMISSION FORM

[Location, Date]
To: The Procurement Officer NH-52, Old Agra- Mumbai Highway, Near to Pithampur Flyover, Post Khandwa (Near Pithampur) Dhar District, Madhya Pradesh-454774
Dear Sir,
We, the undersigned, offer to provide the equipment & services in accordance with your Tender No, dated and our Technical Bid. Our attached Financial Bid includes the price in the format for financial bid provide as part of tender documents. The total price of our offer is (in figures and words) and includes all the deliverables under this tender as per our Technical Bid.
We hereby declare that all the information and statements made in this Bid is true and complete in all respects and is as per the guidelines and terms & conditions laid down in the tender document. We further understand that any information which is found false or is not as per the guidelines and terms & conditions of the tender document may lead to our disqualification.
Our Financial Bid shall be binding upon us subject to the modifications resulting from Contract negotiations, up to expiration of the validity period of the Bid.
We understand NATRAX has right to accept or reject our Bid as per its discretion.
Yours sincerely,
Authorized Signature [In full]:
Authorized Signature [In initials]:
Name and Title of Signatory:
Name of Firm:
Address:





BILL OF QUANTITY FOR ALUMINIUM PARTITION & FALSE CEILING WORKS AT FAT3 AREA & GENERAL STORAGE OFFICE AREA FOR WORKSHOP AT NATRAX PITHAMPUR

ITEM NO.	DESCRIPTION OF ITEM	UNIT	QTY	UNIT RATE IN Rs.	AMOUNT IN Rs.	AMOUNT in Words
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel crews, all complete as per architectural drawings and the directions of Engineerin-charge. (Glazing, paneling and dash fasteners to be paid for separately):					
1.1	For fixed portion: Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg	325	-		
2	Providing & fixing power coated aluminium work for doors, windows, ventilators and partitions with extruded built up standard tabular and other sections of approved make confirming to IS: 733 and IS: 1285, anodised transparent or dyean of		2			



	Tenuel No.	111111	III COII	o TT D/ ITIDE/	10170	
	required shade according					
	to IS: 1868. (Minimum					
	anodic coating of grade					
	AC 15) fixed with rawl					
	plugs and screws or with					
	fixing clips, or with					
	expansion hold fastners					
	including necessary filling					
	up of gaps at junctions, at		10			
	top, bottom and sides with					
	required PVC/neoprene					
	felt etc. aluminium					
	sections shall be smooth,					
	rust free straight, mitred			F.		
	and joined mechanically					
	wherever required					
	including cleat angle,					
	aluminium snap beading		17			
	for glazing/panelling, C.P.					2
	brass / stainless steel					
	screws, all complete as					
	per architectural drawings					
	and the directions of			4.5		
	sliding/sidehang					
	Polyster Power coated aluminium (minimum					
2.1	A service of the serv	Kg	78			
	thickness of power coating 50 micron)					
	Providing and fixing 12 mm thick prelaminated					
	particle board flat pressed					
	three layer or graded		17			
	wood particle board					
	conforming to IS: 12823					
	Grade I Type II, in					
	panelling fixed in					8
	aluminum doors, windows					
	shutters and partition		25			
3	frames with C.P. brass /	Sqm	35			
	stainless steel screws etc.					
	per architectural drawings					
	and directions of engineer-					
	in-charge. complete as					
	partition frames with C.P.					
	brass / stainless steel					
	screws etc. complete as					
	Pre-laminated particle					
	board with decorative					
	lamination on both sides.					
	Providing and fixing tiled			11		
4	false ceiling of specified		1.			
	materials of size 595x595			OMOT	VE	
	mm in true horizontal			1/5/	101	
				11 4 / .	10,11	

	The state of the s	A HARLEST BELLEVILLE	Man Constitution of the		
level, suspended on inter					
locking metal grid of hot					
dipped galvanized steel					
sections (galvanized @					
120 grams/ sqm, both side					
inclusive) consisting of					
main "T" runner with					
suitably spaced joints to					
get required length and of					
size 24x38 mm made from					
0.30 mm thick (minimum)					
sheet, spaced at 1200 mm				6	
center to center and cross					
"T" of size 24x25 mm					
made of 0.30 mm thick					
(minimum) sheet, 1200					
mm long spaced between				3	
main "T" at 600 mm center					
to center to form a grid of					
1200x600 mm and					
secondary cross "T" of					
length 600 mm and size			1.0		
24x25 mm made of 0.30					
mm thick (minimum) sheet					
to be interlocked at middle					
of the 1200x600 mm panel					
to form grids of 600x600					
mm and wall angle of size					
24x24x0.3 mm and laying					
false ceiling tiles of					
approved texture in the			39		
grid including, required	0				
cutting/making, opening					
for services like diffusers,					
grills, light fittings, fixtures,					
smoke detectors etc. Main	54				
"T" runners to be				10	
suspended from ceiling					
using GI slotted cleats of		(2)			
size 27 x 37 x 25 x1.6 mm					
fixed to ceiling with 12.5			10		
mm dia and 50 mm long					
dash fasteners, 4 mm Gl					
adjustable rods with	-		8		
galvanised					
butterfly level clips of size					
85 x 30 x 0.8 mm spaced					
at 1200 mm center to					
center along main T,					
bottom exposed width of			2		
24 mm of all T-sections					
shall be pre-painted with	OTIL				
	MOTIVE		The same of the sa		
complete for all heights as	/	10%			
	4				



				VV D/IVIISC/		
	per specifications,					
	drawings and as directed					
	by Engineer-in-charge.					
	12.5 mm thick square					
	edge PVC Laminated					
	Gypsum Tile of size					
					80	
	595x595 mm, made of					
	Gypsum plasterboard,					
	manufactured from natural					
	gypsum as per IS 2095					
	part I and laminated with					
	white 0.16mm thick fire					
	retardant PVC film on the					
4.1	face side and 12micron	Sqm	376	10		
4.1	metalized polyester on the	Sqiii	370			****
	back side with all edges					
	sealed with the face side					
	PVC film which goes					
	around and wraps					
	the edges and is bonded					×
	to the edges and the back					
	side metalized polyester film so as to make the tile				1 13	i i
	a completely sealed unit.					
	Steel work in built up			1.0		
	tubular (round, square or					
	rectangular hollow tubes					
	etc.) trusses etc., including					
	cutting, hoisting, fixing in					F
5	position and applying a					
Ü	priming coat of approved					
	steel primer, including					
	welding and bolted with					
	special shaped washers		1.5			
	etc. complete. Hot finished seamless					
5.1	Hot finished seamless type tubes	Kg	994			×
	Providing and fixing					
	glazing in aluminium door,					
	window, ventilator shutter	7				
	and partitions etc. with					
	PVC/neoprene gasket etc.					
C	complete as per the	C	22			
6	aechitectural drawings and	Sqm	22			
	the directions of engineer-					
	in -charge. (Cost of					
	aluminium snap beading					
	shall be paid in basic item)			5.		
	with float glass panes of					
	5.50 mm thickness		£1			
	TOTAL AMOUNT IN Rs.					
				A SOTTI		



Checklist Tender No. NATRAX/C&I/CWB/Misc/20/90

S.No	Particulars	Document Attached
1	Have you submitted bids in 2 parts in sealed envelopes with the necessary headings? Have you submitted both the envelopes together in a sealed outer envelope?	Yes No
2	Have you enclosed the EMD for Rs 18,500/- in the technical Bid?	Yes No
3	Have you submitted the details of your technical soundness	Yes No
4	Legal Valid Entity: Have the documents mentioned in the NIT have been submitted?	Yes No
5	Is your firm a legal entity for the last 3 years. If yes, please provide Certificate of Incorporation,	Yes No No
6	ITR Returns for last three Assessment years including Audited Balance sheet (2016-17, 2017-18 & 2018-19) should be provided.	Yes No
7	It should have the average turnover of Rs. 10 Lac, in the last 3 financial years (2016-17, 2017-18 & 2018-19), please provide details	Yes No No
8	Details of Technical Capabilities (similar experience) in last 3 years with reference of clients (Name & Contact numbers) should be attached.	Yes No
9	If registered under "Micro, Small & Medium Enterprises" (MSME), supporting documents need to be submitted to avail exemption from Bid Security / Earnest Money.	Yes No





10	Have your technical bid been prepared for packing as per Tender?	Yes No No
11	Duly Stamped and signed on all pages of the Tender/Quotation documents, as issued by NATRAX (in Original)	Yes No
12	Have your financial Bid proposal is duly filled, sealed and signed on all pages?	Yes No
13	Have you filled your quotes against all items?	Yes No No
14	Have you verified the calculation of prices?	Yes No No
15	Have your financial bid been properly packed as per Tender?	Yes No No
16	Total no of pages submitted by the bidder as a part of the bid	Total no. of pages:pgs

